

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	7	triangle adj convolution	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/03 08:12
L2	317	microlithography and opc	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/03 08:13
L3	36	microlithography and opc and convolution	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/03 08:29
L4	1160942	integral	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/03 08:30
L5	18	3 and 4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/03 08:30
L6	210330	sector	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/03 08:30
L7	4	5 and 6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/03 08:30
S1	22349	opc	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/03 08:11

S2	100	finite adj integr\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 16:22
S3	1918	mask same sector	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 16:14
S4	2247	aerial adj image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 16:14
S5	343733	simulat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 16:14
S6	12	mask same sector same vertex	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 16:17
S7	1	S1 and S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 16:18
S8	0	S7 and S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 16:18
S9	0	S7 and S3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 16:18

S10	1	S7 and S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 16:19
S11	1	S10 and S5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 16:21
S12	0	S2 and S3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 16:22
S13	1	S2 and S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 16:22
S14	0	S2 and S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 16:22
S15	240	finite adj2 integr\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 16:22
S16	3	S1 and S15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 16:23
S17	0	S3 and S15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 16:23

S18	3	S4 and S15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 16:24
S19	0	S6 and S15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 16:24
S20	410403	triang\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 16:25
S21	31	S15 and S20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 16:27
S22	0	S1 and S21	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/18 16:27
S23	37	finite adj integral	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 13:16
S24	613	sector same polygon	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 13:17
S25	27	sector adj3 contribution	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 13:17

S26	5985	interaction adj3 effect	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 13:18
S27	22514	opc	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 13:18
S28	4733	intermediate adj range	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 13:18
S29	19919	long adj range	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 13:19
S30	4733	(intermediate adj range) or intermediate-range	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 13:19
S31	19919	(long adj range) or long-range	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 13:20
S32	322	S30 and S31	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 13:20
S33	5971	distance adj3 scale	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 13:20

S34	6	S32 and S33	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 13:22
S35	1	S23 and S34	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 13:22
S36	2	S24 and S34	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 13:23
S37	1	S25 and S34	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 13:23
S38	1	S23 and S24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 13:23
S39	1	S23 and S25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 13:24
S40	1	S23 and S26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 13:24
S41	1	S23 and S27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 13:24

 **PORTAL**
 USPTO
[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)
Search: The ACM Digital Library The Guide

Nothing Found

Your search for **triangle convolution microlithography +triangle +convolution +microlithography** did not return any results.

You may want to try an [Advanced Search](#) for additional options.

Please review the [Quick Tips](#) below or for more information see the [Search Tips](#).

Quick Tips

- Enter your search terms in lower case with a space between the terms.

`sales offices`

You can also enter a full question or concept in plain language.

`Where are the sales offices?`

- Capitalize proper nouns to search for specific people, places, or products.

`John Colter, Netscape Navigator`

- Enclose a phrase in double quotes to search for that exact phrase.

`"museum of natural history" "museum of modern art"`

- Narrow your searches by using a **+** if a search term must appear on a page.

`museum +art`

- Exclude pages by using a **-** if a search term must not appear on a page.

`museum -Paris`

Combine these techniques to create a specific search query. The better your description of the information you want, the more relevant your results will be.

`museum +"natural history" dinosaur -Chicago`

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.
[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) | [Sitemap](#) | [Help](#)

Welcome United States Patent and Trademark Office

 Advanced Search[BROWSE](#)[SEARCH](#)[IEEE XPLOR GUIDE](#)[SUPPORT](#)**OPTION 1**

Enter keywords or phrases, select fields, and select operators

<input type="text"/>	in All Fields	<input type="checkbox"/>
AND <input checked="" type="checkbox"/> <input type="text"/>	in All Fields	<input type="checkbox"/>
AND <input checked="" type="checkbox"/> <input type="text"/>	in All Fields	<input type="checkbox"/>
<input type="button"/> <input type="button"/>		

OPTION 2

Enter keywords, phrases, or a Boolean expression

triangle convolution	<input type="checkbox"/>
<input type="button"/> <input type="button"/>	

» Note: You may use the search operators <and> or <or> without the start and end brackets <>.

» Learn more about [Field Codes](#), [Search Examples](#), and [Search Operators](#)

modified search :

- opc and sector and integral
- opc and polygon and sector
- microlithography
- microlithography and integral
- microlithography and opc
- microlithography and segment
- microlithography and triangle
- convolution and opc and triangle and sector
- convolution and opc and triangle

Indexed by
Inspec

[Help](#) [Contact Us](#) [Privacy & Security](#) [IEEE.org](#)

© Copyright 2005 IEEE - All Rights Reserved

» Publications

Select publications

IEEE Periodicals
 IEE Periodicals
 IEEE Conference Proceedings
 IEE Conference Proceedings
 IEEE Standards

» Select date range


Search latest content update (31 May 2005)
 From year to

» Display Format

Citation Citation & Abstract

» Organize results

Maximum
 Display results per page
 Sort by
 In order

**Web**Results 41 - 41 of about 80 for **triangle convolution opc**. (0.06 seconds)**3d2f.com search statistics 2005-04-21.**


... 1. **opc** snmp server ping 1. open close cd tray 1. open csv 1. open import iges igs

... 1. reverb effect **convolution** wav 1. reverse engeneering software ...

3d2f.com/statistics/2005-04-21.shtml - 513k - [Cached](#) - [Similar pages](#)

In order to show you the most relevant results, we have omitted some entries very similar to the 41 already displayed.

If you like, you can [repeat the search with the omitted results included](#).

A stylized, elongated version of the Google logo where the letters are repeated to form a horizontal line.Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [Search within results](#) | [Language Tools](#) | [Search Tips](#)[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google